

ROOF PLAN



ELEVATION

1. P240 – .050" X 6" X 2 3/4" ROLL FORMED ALUMINUM FASCIA
2. P175 – .018" X 3" X 16" ROLL FORMED ALUMINUM DECK
3. P278 – 2" X 2" X 1/8" EXTRUDED ALUMINUM TUBE
4. [illegible] FOR THE OVERHEAD SUPPORTS
5. [illegible]
6. P521 – SCUPPER
7. P403 – #14 TEK SCREW
8. P406 – SHEETMETAL SCREW
9. 1/4" DIA. BOLT
10. 3/8" DIA. BOLT

A. 3/8" DIA. WALL ANCHORS NOT BY MAISON CORP.
B. SEALANT OR FLASHING AS REQUIRED NOT BY MAISON CORP.
C. BEND LIP IN FIELD

MATERIALS: EXTRUSIONS – 6063–T6 CLEAR ANODIZED FINISH
ROLL FORM – 3003–H34 WHITE PAINTED FINISH

FIELD ASSEMBLY AND SOME FIELD FABRICATION ARE REQUIRED.



SECTION – B
FIELD CUT END PANS AS REQUIRED







SECTION A–A



ITEM #	QUANITY	DIM. A	DIM. B	DIM. C	DIM. D	O.H.SUPPORTS	REMARKS